Abstract Submitted to the International Conference on Strongly Correlated Electron Systems University of Michigan, Ann Arbor August 6-10, 2001

Magnetic Nature of Delafossite-type Metallic Conductor $Na_{0.75}CoO_2$ in Strongly Correlated and Frustrated Systems

T. Takeuchi¹, M. Matoba¹, H. Okabe¹, T. Aharen¹, M. Itoh²

- Dept. of Applied Physics and Physico-Informatics, Keio University, 3-14-1 Hiyoshi, Yokohama 223-8522, Japan
- Materials and Structures Laboratory, Tokyo Institut of Technology, 4259 Nagatsuta, Yokohama 226-8503, Japan

Magnetic and large thermoelectric nature have been investigated for delafossite-type metallic conductive oxide $Na_{0.75}CoO_2$ with 2D triangular lattices which are expected to enhance geometrical spin frustration. Static magnetic succeptibility shows remarkable enhancement below 7K, but no irreversibility between zero-field cooled and field cooled magnetizations are observed. This temperature is indeed good agreement with the specific heat upturn temperature reported by Ando et al. in $Na_{0.5}CoO_2$. This feature indicates a formation of itinerant ferromagnetic state which are often found in heavy fermionic semimetals or renormalized paramagnetic Fermi liquids such as RVB ground states. At the conference, we will discuss the role of coherence between charge dyanamics and geometrically frustrated spin effects on 2D triangular lattices. And the possiblity of heavy fermion formation in $Na_{0.75}CoO_2$ will be also discussed from the viewpoint of the strongly correlated and frustrated systems.